

An Examination of Argumentation Negotiation Agent for Course Scheduling

Jong Yih Kuo

*Department of CSIE
National Taipei University of Technology
jykuo@csie.ntut.edu.tw*

Sung Hui Chen

*Department of CSIE
Fu Jen Catholic University*

ABSTRACT

This paper examines the Argumentation Negotiation of agent as a mechanism for solving the course-scheduling problem. We integrated multi-agent automatic negotiation mechanism and argumentation reasoning to apply in course scheduling problem. We want to evolve the belief of the agents by argumentation-based negotiation, so that agents can have more information of the environment, and select better action to do.

1: INTRODUCTION

An increasing number of computer systems are being viewed in terms of multiple interacting autonomous agents. This is because the multi-agent paradigm offers a powerful set of metaphors, concepts and techniques for conceptualizing, designing, implementing and verifying complex distributed systems [8]. The most fundamental and powerful mechanism for managing inter-agent dependencies at run-time is negotiation - the process by which a group of agents come to a mutually acceptable agreement on some matter [9]. Negotiation underpins attempts to cooperate and coordinate and is required both when the agents are self interested and when they are cooperative.

The problem of those primitive negotiation mechanisms [3][22] is the lack of an expressive formalism to capture all the prominent issues arising in a negotiation context, and the absence of a sound inference mechanism to reason about the preferential changes during a negotiation session [11]. In real life negotiation situations, the purpose of exchanging information among different agents is not purely information but also persuasive. Conventional trading negotiation techniques have some limitation. The only feedback that can be made to a proposal is a counter-proposal, which itself is another point in the space, or an acceptance or withdrawal. It is hard to change the set of issues under negotiation in the course of a negotiation. The argumentation-based negotiation is to remove these limitations [13].

Course scheduling is actually a coordination and combinatorial problem to find an appropriate timetable for each course to be scheduled while simultaneously

avoiding conflicts. Due to the high-dimensional and multi-constraint features, the course scheduling problem is NP-hard [6]. Many papers proposed different and valid approaches to solve this tough problem [5][14][16]. In recent years, agent technology has been developed quickly to deal with this problem [4][7][18]. In this paper, the mobile agent technology based on argumentation-based negotiation is applied to examine the feasibility and flexibility in the course scheduling problem. Each teacher is regarded as a mobile agent called course negotiation agent. Through the negotiation among all the course negotiation agents, a course timetable is expected to be scheduled suitably.

The following section will detail the proposed approach. Section 3 is the argumentation-based negotiation process. Section 4 presents the results of the experiment. Section 5 draws conclusions from this work.

2: ARGUMENTATION-BASED NEGOTIATION




Figure 1: The architecture of argumentation-based negotiation

In our agent model, an agent can be completely specified by the events that it can perceives, the actions it may performs, the beliefs it may holds, the goals it may adopts, and the plans that give rise to fulfill its intentions [11]. According to the user preference, agents apply fuzzy theory to model their belief. The proposal alternative of agents is derived by their belief. When negotiation among agents is broken, argumentation process will begin to evolve the belief of agents. This makes it possible for the next proposal to getting to close the agreement of the other agents. This session describes our proposed argumentation-based negotiation architecture as shown in Figure 1.

2.1: AGENT BELIEF MODEL

Users' preferences are represented by epistemic entrenchment ordering of beliefs. With negotiation, information about opponents' preferences attached to a counter offer can be evaluated and the corresponding beliefs be revised into an agent's knowledge base [10][11]. Thus, all agents may make an agreement quickly. The beliefs of an agent can be represented as formula (1).

$$Belief = Preference \mid Fact \mid Belief \wedge Belief \quad --(1)$$

The belief of agent may be a preference of user or the fact of the environment. For car business example, preference of the customer is high horsepower. He thinks the exhaust value of the car proposed by seller is low. The belief of agent is represented as follow.

$$Belief = Preference(HorsePower(Car)) \text{ is High} \wedge ExhaustValue(Car) \text{ is Low}$$

In consequence, we can apply the fuzzy soft requirement [10] so to formally represent the agent belief. We use Zadeh's test-score semantic [21] to represent the user preference. The basic idea underlying test-score semantics is that a proposition p in a natural language may be viewed as a collection of elastic constraints, C_1, \dots, C_k , which restricts the values of a collection of variables $X = (X_1, \dots, X_n)$. In fuzzy logic, this is accomplished by representing P in the canonical form:

$$Preference \Rightarrow R(P) \text{ IS } A$$

in which A is a fuzzy predicate. The canonical form of G implies that the possibility distribution of $R(P)$ is equivalent to the membership function of A , namely $\Pi_{R(P)} = \mu_A$. For course scheduling example, a teacher wish the school days the less the better. We can represent it as follow canonical form. $G \Rightarrow DaysOfCourse (CourseSchedule) \text{ IS Low}$

in which Low is a fuzzy predicate. Its fuzzy set is shown as Figure 2.




Figure 2 Fuzzy set of Low

The fact is a specialization of the soft preference, of which the membership function of fuzzy predicate is 1.0.

2.2: PROPOSAL GENERATOR

Negotiation can be viewed as a distributed search through a space of potential agreements. The search terminates when the required number of participants find a mutually acceptable point in the agreement space [9]. The dimensionality and topology of this space is determined by the structure of the negotiation object. Indeed, each issue of the negotiation object has a separate dimension. The proposal alternative of agent is

a negotiation object including the set of issue and its value pair. The proposal alternative (P) is represented as equation (2).

$$P = \{(issue.name, issue.value) \mid \forall issue \in NO\} \quad --(2)$$

where NO is Negotiation Object. For car business example, seller proposes an alternative including exhaust value, cost, and equipment to meet the customer requirement. The proposed alternative can be represented as follow.

$$P = \{(ExhaustValue, 1800 \text{ C.C.}), (Cost, 60 \text{ NT}), (Equipment, DVD \text{ Player})\}$$

This paper extended research [17] for proposal alternative generation. According to the belief of agent, the best proposal alternative is selected from the negotiation space. We use fuzzy set to model user preference (that is, belief of agent). The evaluation functions are shown as equation (5) and (6). The fuzzy operator is max.

$$Utility_k(P) = \left(\sum_{j=1}^N \max_i \mu_j(issue_i) \right) / N \quad (5)$$

$$Utility(P) = \left(\sum_{k=1}^L Utility_k(P) \right) / L \quad (6)$$

in which L , M , and N represented the number of preference, the number of negotiation issue, and the number of agent. Agent can get the self-benefit proposal by computing the equation (5). According to the others agent information that agent can get, agent can evaluate the best proposal by equation (6).




Figure 3 Argument-based negotiation process

2.3: ARGUMENTATION-BASED REASONING

The basic idea behind the argumentation-based approach is allow additional information to be exchanged, over and above proposals. Thus in addition to rejecting a proposal, an agent can offer a critique of the proposal, explaining why it is unacceptable. Similarly, an agent can accompany a proposal with an argument which says why the other agent should accept it. The argumentation content A is represented as formula.

$$A = \{(rule) \mid \forall rule \in KB\} \quad --(3)$$

in which $rule$ is the inference rule, and represents the

knowledge base of agent. The preference of the customer is high horsepower. The seller proposes a car with low exhaust value. The customer don't like the car recommended by the seller. Thus, the argumentation process must be started. The argumentation content of the customer can be described as formula (4).

$$\{HorsePower(Car) \text{ is High} \wedge ExhaustValue(Car) \text{ is Low} \Rightarrow Preference(Customer) \text{ is Low}\} \quad (4)$$

The argumentation mechanism we employ is logic-based [1][2][9] and builds on work in argumentation as an approach to handling defeasible reasoning. This makes it possible for agents to handling contradictory statements without collapsing into triviality. The priority of rule allows conflicting arguments to be resolved. The argumentation content is generated by the belief of agent. After argumentation reasoning, the belief of agent will be evolved by modifying the belief. Argumentation system is formulated as equation (5).

$$AS = (A(KB), Belief_relation, Rule_priority) \quad (5)$$

$A(KB)$ is the argumentation content based on the given knowledge. $Belief_relation$ is the relationships between rules. $Rule_priority$ is the priority of the rule.




Figure 4 Argumentation-based negotiation protocol

3: NEGOTIATION PROCESS

The argument-based negotiation process is shown as Figure 3. The argumentation-based negotiation protocol is modeled by UML in Figure 4.

3.1: ARGUMENT-BASED NEGOTIATION PROTOCOL

The argument-based negotiation process describes as follow.

- (1) Enter the first round to negotiate.
- (2) Facilitator asks all agents to proposal their alternatives.
- (3) Each agent selects a best alternative from the negotiation space.
- (4) If the proposal set is empty, then the agent withdraws from negotiation.
- (5) For a proposal alternative, all agents compute the agreement set. If the agreement set is non-empty, the negotiation process will be terminated.
- (6) When the agreement set is empty, the facilitator asks all agents to compute the conceding risk.
- (7) The agent that should concede is the one for whom conceding represents the least risk. The conceding agent must begin the argumentation with other agents.
- (8) When the argumentation process is over, the conceding agent regenerates his negotiation space and selects a best proposal from the new negotiation space. The process goes to step 1 for next round.

3.2: ARGUMENTATION REASONING

The argument of proposal is to support the proposal provided by the agent. The argumentation system selects the candidate rules based on the belief of agents and the negotiation state. So that appropriate argument will be generated. According to the priority of the rules in the argumentation system, the system can determine which agent wins and which agent lose. If the agent who should concede loses in the argumentation, it will evolve its belief according to the argument that the other agents made. The process of the argumentation is described as follow.

- (1) The one who should concede makes the argument to support its proposal, and sends it to all other agents to persuade them.
- (2) The one who should concede receive the argument of the other agents.
- (3) The one who should concede request the facilitator to decide whether it wins or not in this argumentation.
- (4) The facilitator decides the winner in this argumentation according to the knowledge in arguments of both side and the priority of the knowledge.
- (5) If the one who should concede has been refuted, it evolves its belief according the argument that is made be the other side.
- (6) Return to step (1) until the argumentation with all

agents has been done.

An agent accompanies a proposal with an argument which says why the other agent should accept it. This makes it possible to change the other agent’s belief. For our course scheduling example, a course negotiation agent can get more about the preferences of another agent.

4: EXAMPLE AND RESULTS

In this paper, we build a simple course scheduling system to illustrate our approach by Java and ADK (Agent Development Kit) [18]. A negotiation agent in this system represents a teacher. We get an appropriate school timetable by agent negotiation. During the negotiation process, a negotiation agent will retrieve other negotiators’ criterion for making a proposal, and make a better proposal in the next round to get a common consensus as soon as possible.

4.1: SYSTEM ARCHITECTURE

Our system architecture is illustrated as Figure 5. The negotiation process is guiding by the facilitator. All negotiator use their proposal generator to make appropriate proposals, send the chosen proposals to the facilitator to decide who the conceder is, and evolve their belief after generating and evaluating the arguments by argumentation system.




Figure 5 System architecture

4.2: INITIAL ARGUMENTATION NEGOTIATION

Table 1 Courses information

Agent	Course name	
Kuo	OOSE	JAVA
Huang	Algorithm analysis	Machine learning
Mei	WWW Design	Wireless system
Hsu	GUI design	Knowledge

The information of the courses that will be delivering is described in table 1. The purpose of the system is putting the time of the course in order, so the issues in negotiation proposal are the time of all courses. Night of the candidate proposals are described in table 2, by introducing what day and what time the courses are delivered.

Table 2 Alternative Course schedule

Course schedule No. Course Name	0	1	2	3	4	5	6	7	8
OOSE	Sat (2)	Sat (2)	Fri (5)	Wed (7)	Mon (5)	Tue (2)	Wed (2)	Wed (2)	Sat (2)
JAVA	Mon (2)	Mon (2)	Thu (2)	Thu (2)	Thu (2)	Mon (2)	Tue (5)	Tue (5)	Mon (2)
Machine learning	Mon (5)	Thu (5)	Mon (5)	Sat (1)	Sat (1)	Mon (5)	Sat (1)	Sat (1)	Tue (5)
Algorithm	Tue (5)	Tue (5)	Tue (5)	Tue (5)	Tue (5)	Thu (5)	Fri (2)	Fri (2)	Wed (7)
WWW	Fri (5)	Fri (5)	Thu (5)	Thu (5)	Thu (5)	Fri (5)	Wed (5)	Thu (5)	Thu (2)
Wireless	Wed (2)	Wed (2)	Wed (2)	Wed (2)	Wed (2)	Wed (2)	Fri (5)	Mon (2)	Wed (2)
Knowledge system	Fri (2)	Sat (2)	Fri (2)	Fri (2)	Wed (7)	Wed (7)	Thu (5)	Thu (5)	Fri (2)
GUI design	Tue (2)	Wed (7)	Tue (2)	Tue (2)	Tue (2)	Thu (2)	Tue (2)	Thu (2)	Tue (2)

Table 3 Initial agent belief

Agent	Belief content
Kuo	Preference : (Time, Thu) Preference : (Time, Fri) Fact: alternative satisfaction degrees
Huang	Preference : (Time, Thu) Preference : (Time, Tue) Preference : (Time, Afternoon) Fact: alternative satisfaction degrees
Mei	Preference : (Time, Wed) Preference : (Time, Morning) Fact: alternative satisfaction degrees
Hsu	Preference : (Time, Wed) Preference : (Time, Tue) Fact: alternative satisfaction degrees

The agent belief includes time preference for all teachers, and how much the agents are satisfied by the proposal. The time preference includes what day and what time the course is delivered. The membership function of the preference is illustrated by Figure 6. Before negotiating with other agent, the agent knows the preference of itself only. The initial belief of all agents is described in table 3.




Figure 6 membership functions for preference

The argumentation system provides the service so that the agents can make appropriate argument by input information. In addition, there is also information about the undercut relation and priority of knowledge. In the example, there is two conflicting knowledge whether the agent is satisfied with time. The undercut relation is described by formula (6).

$$\text{undercut}(\text{TimeIsGood}(Ag_i, P_j), \text{TimeIsBad}(Ag_i, P_j)) \quad (6)$$

Ag_i represents the i th agent, and P_j is the proposal course schedule. By belief evolution, agents can modify their wrong belief. For the inference rule, agent can decide

whether the school timetable is good or not according to their preference, and then let the other side understand that has since already assessed the standard. Those rules in our example are described by formula (7) and (8).

$$(Preference(Ag_i) \text{ is } A) \wedge (FitDegree(Ag_i, P_j) \text{ is } High) \Rightarrow TimeIsGood(Ag_i, P_j) \quad \text{--- (7)}$$

$$(Preference(Ag_i) \text{ is } A) \wedge (FitDegree(Ag_i, P_j) \text{ is } Low) \Rightarrow TimeIsBad(Ag_i, P_j) \quad \text{--- (8)}$$

To offer the agents to refute the other side's motion, the priority of formula (7) is higher than (8).

4.3: ARGUMENTATION NEGOTIATION PROCESS

When negotiation process starts, every agent calculates satisfaction of all proposal candidates. For example, the time preference of professor Huang is Tuesday, Thursday, and afternoon, and the courses he wants to deliver are Machine Learning (ML) and algorithm analysis (AA), then the personal utility of professor Huang can be calculated as follows:

$$Utility_{Huang}(P) = \left(\sum_{j=1}^N \max_i^M \mu_j(issue_i) \right) / N = \frac{\max(\mu_{Thu}(AA), \mu_{Thu}(ML)) + \max(\mu_{Tue}(AA), \mu_{Tue}(ML)) + \max(\mu_{Afternoon}(AA), \mu_{Afternoon}(ML))}{3}$$

Table 4 Satisfaction proposal and risk value of agents on round 1

Agent	Kuo	Huang	Mei	Hsu
Proposal No.	2	1	0,1,2,3,4,5,8	4
Risk value	1	0.33	0	0.5

Table 5 Agents' argumentation content on round 1

Agent	Argumentation content
Kuo	$(Preference(Kuo) \text{ is } Thu) \wedge (FitDegree(Kuo, 8) \text{ is } Low) \Rightarrow TimeIsBad(Kuo, 8)$ $(Preference(Kuo) \text{ is } Tue) \wedge (FitDegree(Kuo, 8) \text{ is } Low) \Rightarrow TimeIsBad(Kuo, 8)$
Huang	No
Hsu	$(Preference(Hsu) \text{ is } Wed) \wedge (FitDegree(Kuo, 8) \text{ is } Low) \Rightarrow TimeIsBad(Hsu, 8)$ $(Preference(Hsu) \text{ is } Thu) \wedge (FitDegree(Kuo, 8) \text{ is } Low) \Rightarrow TimeIsBad(Hsu, 8)$

In each round of negotiation, every agent chooses the best proposal in accordance with the result of evaluation, and the conceder retrieves the preference of other agents through argumentation, and then chooses new course timetable in order to get a agree consensus. The best proposal of all agents is described in table 4. Obvious in first round no candidate proposal satisfies all agents, so we must choose an agent to make a concession. The risk value of all agents after first round of negotiation is described in table 4.

Then professor Mei will make a concession and propose an argumentation with other agents. Then he can choose a new proposal. Because professor Mei

knows nothing about other teachers, so he cannot propose persuading the other side dialectically. Then he evolves his belief according to other agent's arguments. In this argumentation, professor Mei gets information about professor Kuo and Hsu.




Figure 7 Results of agent evolution

Finally, professor Mei knows the preference of the two teachers, so he will get different result while evaluating all proposal candidates. All agents' arguments are described in table 5. Professor Huang can not make an argument to refute professor Mei because he has high degree of satisfaction on the 8th proposal. If professor Mei understands the preference of professor Kuo, then the total utility of a candidate school timetable will be calculate as follow:

$$Utility_{total}(P) = (Utility_{total}(P) + Utility_{total}(P)) / 2$$

After eight round of negotiation, we get a agree consensus on the proposal with number 2. Figure 7 shows the process of the negotiation. Through argumentation negotiation and the judgment of the facilitator, the negotiators successfully evolve their belief and get a agree consensus on the school timetable.

5: CONCLUSION

In multi-agent system environment, incomplete information may impact the effectiveness of agent's decision during negotiation. In this paper we proposed an argumentation negotiation approach to make the agents getting more knowledge about other agents in the environment. We applied argumentation reasoning to evolve the agent's belief. The user preferences are modeled by fuzzy theory as the criteria of evaluation for negotiation proposals. We also used a course scheduling problem to explain our approach. In the future, we will establish a mechanism to dynamically change the agents' preference to make the negotiation more successfully.

ACKNOWLEDGEMENTS

This work was supported by the Ministry of Economic Affairs under grant 95-EC-17-A-02-S1-029 and Ministry of Education under grant NSC95-2752-E-008-002-PAE.

REFERENCES

- [1] L. Amgoud, C. Cayrol, D. Le Berre. Comparing Arguments Using Preference Orderings for Argument-Based Reasoning. Proceedings of the Eighth IEEE International Conference on Tools with Artificial Intelligence, pp. 400-403, 1996.
- [2] L. Amgoud, N. Maudet, S. Parsons. Modeling dialogues using argumentation. Proceedings of Fourth International Conference on Multi-Agent Systems, pp.31-38, 2000.
- [3] V. Baber, R. Ananthanarayanan, and K. Kumnamuru. Evolutionary algorithm approach to bilateral negotiations. In E. Lutton, J.A. Foster, J. Miller, C. Ryan, and A. G. B. Tettamanzi, editors, Proceedings of the 4th European Conference on Genetic Programming, EuroGP 2002, Vol. 2278 of Lecture Notes in Computer Science, pp. 203-212, 2002.
- [4] J. Budenske, J. Newhouse, J. Bonney, J. Wu, Agent-Based Schedule Validation and Verification, Proceedings of IEEE International Conference on Systems, Man & Cybernetics, Vol. 1, pp. 616-621, 2001.
- [5] J. A. Ferland, F. Charles, A decision support system for course scheduling, Interfaces, Vol. 24, No. 2, pp.105-115, 1997.
- [6] M.R. Garey and David S. Johnson, Computers and Intractability: A Guide to the Theory of NP-Completeness, W. H. Freeman, 1979.
- [7] M.H. Ho, Y.S. Chang, S.M. Yuan, Multi-agent based Teacher-Cooperated Course Scheduling, Proceedings of the ISATED International Conference Intelligent Systems And Control, pp. 232-237, 2001.
- [8] N. R. Jennings, An agent-based approach for building complex software. Communication of ACM, Vol.44, No 4, pp.35-41, April 2001.
- [9] N. R. Jennings, P. Faratin, A. R. Lomuscio, S. Parsons, C. Sierra and M. Wooldridge, Automated negotiation: prospects, methods and challenges. International Journal of Group Decision and Negotiation, Vol.10, No.2, pp.199-215, 2001.
- [10] J. Y. Kuo and J. Lee. Evolution of Intelligent Agent in Auction Market. Proceeding of the IEEE International Conference on Fuzzy Systems. Budapest, 2004.
- [11] Jong Yih Kuo, S.J. Lee and C.L. Wu, N.L. Hsueh, J. Lee. Evolutionary Agents for Intelligent Transport Systems, International Journal of Fuzzy Systems, Vol. 7, No. pp.85-93, June 2005.
- [12] R.Y.K. Lau, B. Essam, S.Y. Chan. Belief revision for adaptive negotiation agents. In proceeding of IEEE/WIC International Conference on Intelligent Agent Technology, pp. 196-202, 2003.
- [13] I. Rahwan, S. D. Ramchurn, N. R. Jennings, P. McBurney, S. Parsons, and L. Sonenberg. Argumentation-based negotiation. The Knowledge Engineering Review, Vol. 18, No 4, pp.343-375, 2003.
- [14] A.V. Ramon, E. Crespo, J.M. Tamarit, Design and implementation of a course scheduling system using Tabu Search, European Journal of Operational Research Vol. 137, pp. 512-523, 2002.
- [15] N.Ito, K. Shinoda, K. Nakagawa, K. Iwata, X. D. N. Ishii. Action decision with incomplete information: a temporal database approach. Proceedings of IEEE International Conference on Systems, Man, and Cybernetics .Vol. 6, pp.722-727, 1999.
- [16] Y.Z. Wang, Using genetic algorithm method to solve course scheduling problems, Expert Systems with Applications, Vol. 25, pp. 39-50, 2003.
- [17] M. Wooldridge, S. Bussmann, and M. Klosterberg. Production sequencing as negotiation. In Proceedings of the First International Conference on the Practical Application of Intelligent Agents and Multi-Agent Technology, pp. 709-726, 1996.
- [18] H. Xu and S. M. Shatz, ADK: An Agent Development Kit Based on a Formal Design Model for Multi-Agent Systems, Journal of Automated Software Engineering, Vol. 10, No. 4, pp. 337-365, October 2003.
- [19] Y. Yang, R. Paranjape, L. Benedicti, An examination of mobile agents system evolution in the course scheduling problem. Canadian Conference on Electrical and Computer Engineering, Vol. 2, pp.657 - 660, 2004.
- [20] J.H. You, X. Wang, L.Y. Yuan. Non monotonic reasoning as prioritized argumentation. IEEE Transactions on Knowledge and Data Engineering Vol. 13, No. 6, pp.968-979, 2001.
- [21] L.A. Zadeh. Test-score Semantics as a Basis for a Computational Approach to the Representation of Meaning. Literacy Linguistic Computing, Vol. 1, pp. 24, 1986.
- [22] D. Zeng and W. Wong. A Web-based negotiation agent using CBR. In R. Kowalczyk and M. Lee, editors, Proceedings of the 2nd Workshop on AI in Electronic Commerce, Vol. 2112 of Lecture Notes in Artificial Intelligence, pp. 183-197, Melbourne, Australia, 2000.